

Catalytic Resonance Theory: The Catalytic Mechanics of Programmable Ratchets

Madeline A. Murphy^{1,2}, Sallye R. Gathmann^{1,2}, Rachel Getman^{1,3}, Lars Grabow^{1,4}, Omar A. Abdelrahman^{1,4}, Paul J. Dauenhauer^{1,2*}

¹ Center for Programmable Energy Catalysis, University of Minnesota, 421 Washington Ave. SE, Minneapolis, MN, 55455, USA

² Department of Chemical Engineering & Materials Science, University of Minnesota, 421 Washington Ave. SE, Minneapolis, MN, 55455, USA

³ William G. Lowrie Department of Chemical and Biomolecular Engineering, The Ohio State University, Columbus, OH 43210

⁴ William A. Brookshire Department of Chemical and Biomolecular Engineering, University of Houston, S222 Cullen College of Engineering Bldg 1, 4226 Martin Luther King Boulevard, Houston, TX 77204

* Corresponding author: hauer@umn.edu

Abstract. Catalytic reaction networks of multiple elementary steps operating under dynamic conditions via a programmed input oscillation are difficult to interpret and optimize due to reaction system complexity. To understand these dynamic systems, individual elementary catalytic reactions were evaluated to identify their three fundamental characteristics that define their ability to promote reactions away from equilibrium. First, elementary catalytic reactions exhibit directionality to promote reactions forward or backward from equilibrium as determined by a ratchet directionality metric comprised of the input oscillation duty cycle and the reaction rate constants. Second, catalytic ratchets are defined by the catalyst state of strong or weak binding that permit reactants to proceed through the transition state. Third, elementary catalytic ratchets exhibit a cutoff frequency which defines the transition in applied frequency for which the catalytic ratchet functions to promote chemistry away from equilibrium. All three ratchet characteristics are calculated from chemical reaction parameters including rate constants derived from linear scaling parameters, reaction conditions, and catalyst conditions. The characteristics of the reaction network's constituent elementary catalytic reactions provided an interpretation of complex reaction networks and a method of predicting the behavior of dynamic surface chemistry on oscillating catalysts.

Introduction. The introduction of programmable catalysts with surfaces that change with time on the time scale of a catalytic turnover changes the strategy for molecular reaction control and chemical energy management.^[1,2] The ability to modulate catalytic transition states by modification of catalytic states is the opportunity provided by programmable catalysis to accelerate and control surface reactions. By using external perturbation of surfaces with light, charge, or strain to modulate a catalyst between physical or electronic states with time, molecules reacting on the surface experience a change in binding energy as the chemistry proceeds.^[3,4,5,6] Adsorbates release energy as the catalyst state shifts to stronger binding conditions and absorb energy as the catalyst state shifts to weaker binding conditions.^[7] However, each surface species responds uniquely to changes in catalyst state, such that variation in catalyst state changes the elementary heat of surface reaction and corresponding reaction transition states.^[2]

As depicted in **Figure 1a**, one variation of a programmable catalyst is depicted for simple two state (green and blue) catalyst systems with a single elementary surface reaction. This endergonic reaction proceeds by the following steps: (i) reactant red molecule A(g) adsorbs to form A* in the weak-binding catalyst state (blue), (ii) the catalyst switches from the weak-binding to the strong-binding catalyst state (green) with energy output, (iii) in the strong-binding catalyst state, the red molecule A* readily traverses the transition state to form the purple molecule product B*, (iv) the catalyst state switches from strong-binding to weak-binding with significant energy input, and (v) the purple molecule desorbs from the surface in the weak-binding catalyst state to form the product B(g).

The programmable catalytic mechanism has two unique characteristics. As shown in **Figure 1a**, the input energy associated with the external perturbation switching the catalyst from the strong-binding to the weak-binding catalyst state (green to the blue) is




Figure 1. Programmable Catalyst Ratchet Quality. (A) A programmable catalyst operating between two states blue and green, exhibits a high blue state transition energy, prohibiting purple product molecules to react backwards in a ‘ratchet’ mechanism. (B) For programmable catalysts with blue state transition energies closer to the desorption energy of surface products, competition between desorption and backwards reaction over the transition state ‘leaks’ molecules back through the ratchet mechanism. (C) For programmable catalysts with low blue state transition energy relative to the purple molecule desorption energy, surface products primarily react backwards and move in an internal loop. Programmable catalytic ratchets are defined by the number of elementary steps (e.g., two-step) and the associated dynamic parameters of each elementary step, i (e.g., α_i , β_i , γ_i , δ_i).

significantly greater than the energy output associated with switching the catalyst from the weak-binding to strong-binding (blue to the green) catalyst state. More importantly, when switching from strong to weak-binding states (green to blue), the purple product molecule has preferential kinetics for desorbing rather than reacting backwards to form the red reactant molecule. In the weak-binding state, the catalyst has a higher transition state energy than the purple molecule in the gas phase, forming what has been referred to as an ‘energy ratchet.’^[8,9] The net positive energy input has the role of promoting the reaction forward in a mechanism that has been shown to promote reactions past chemical equilibrium,^[2,10,11] raising the surface product energy using input work.

The core component of the programmable catalyst mechanism is the ‘energy ratchet’ which changes in both intermediate and transition state energies (**Figure 1a**)^[1,12,13] as opposed to the ‘information ratchet’ which only changes in transition state barrier energies.^[14,15] For an energy ratchet oscillating between two or more states, the barrier for reaction progression changes allowing molecules to traverse a transition state in some catalyst states and limiting reverse traversal in other catalyst states. These energy ratchets can be driven by multiple possible physical mechanisms including chemical reaction (also called ‘catalysis-driven ratchets’), such that the catalyst changes state stochastically upon reaction (*i.e.*, stochastic energy ratchets).^[16,17,18] Alternatively, energy ratchets that utilize external mechanisms such as charge, light, or strain will change in catalyst state

via a pre-determined sequence (*i.e.*, programmable energy ratchets) that provides the additional capability of temporal catalyst control.^[3,10,19,20,] Energy ratchets can also be further categorized by whether they promote a reaction (*i.e.*, catalytic ratchet)^[1,21,22] or molecular motion (*i.e.*, pumping ratchet or molecular motor).^[23,24,25] With the addition of energy input or removal, the ratchet results in preferential change of molecules in a reaction away from equilibrium, as has been observed for many non-catalytic systems^[12,26,27,28,29] and catalytic systems.^[2,10]

The quality of the ratchet, generally defined as the ability of the free energy profile to limit reaction to predominately one direction, therefore determines the energy efficiency of the programmable catalytic mechanism. As shown in **Figure 1**, the performance of the catalytic ratchet for preferentially promoting molecules energetically uphill depends on at least two criteria. An effective catalytic ratchet (**Figure 1a**) has a low forward ($A^* \rightarrow B^*$) transition state barrier in the strong-binding (green) catalyst state while also having a high reverse ($B^* \rightarrow A^*$) transition state in the weak-binding (blue) catalyst state (relative to the next elementary step of desorption, $B^* \rightarrow B(g)$). If the weak-binding state reverse transition state barrier is decreased and closer in energy to the B^* desorption energy as depicted in **Figure 1b**, then B^* desorption competes with the reverse reaction ($B^* \rightarrow A^*$ in blue state) and the ratchet can be referred to as ‘leaky.’ For even lower weak-binding catalyst state transition state energies in **Figure 1c**, the reverse reaction ($B^* \rightarrow A^*$ in blue state) is kinetically preferable to desorption,

Table 1. Model parameters for programmable dynamic simulations of elementary catalytic ratchets.

Parameter	Units	Description
α	None	Bronsted-Evan-Polanyi (BEP) relationship slope, the proportionality constant between the heat of the surface reaction ($C^* \leftrightarrow D^*$) and the activation energy of the forward direction of the reaction.
β	eV	BEP relationship constant offset. A constant defining the activation energy of the forward direction of the surface reaction ($C^* \leftrightarrow D^*$) in the case of the elementary reaction step being energetically neutral (heat of the surface reaction equals zero)
$\gamma_{D/C}$	None	Linear scaling relationship parameter: the linear slope between driven changes in the binding energy of species D^* to the corresponding change in the binding energy of species C^*
δ_{C-D}	eV	Linear scaling relationship parameter: An enthalpy corresponding to the catalytic state in which surface species C^* and D^* have equivalent surface enthalpies.
θ_i	None	Surface coverage of species i
$\theta_{i,eq}$	None	The equilibrium surface coverage of species i
$\bar{\theta}_{i,hf}$	None	The time-averaged surface coverage of species i at frequencies much larger than the cutoff frequency ($f \gg f_c$)
$\bar{\theta}_i$	None	The time-averaged surface coverage of species i at any frequency or temperature
Temperature (T)	K	Temperature of the reactor and catalyst
BE_i	eV	Binding energy of species i relative to the gase phase species i
$\Delta H_{r,A-B}$	eV	Heat of reaction between A(g) and B(g)
ΔBE_i	eV	The amplitude of change in binding energy of species i resulting from an external oscillating perturbation
f	s^{-1}	The frequency of the oscillating perturbation applied to the catalyst surface
f_c	s^{-1}	The ‘cutoff’ frequency is defined as the boundary of the catalytic surface’s frequency response, defined here as the frequency that results in a change in time-average surface coverage equal to half of the equilibrium value and the high frequency value, $\bar{\theta}_{hf}$.
D_B	%	Duty cycle defined for the blue catalyst state: for square waveforms, the duty cycle describes the percentage of time the catalyst exists in the blue state.
λ	None	The elementary catalytic ratchet directionality metric. Values greater than unity indicate a ratchet that favors surface products (e.g., D^*) versus surface reactants (e.g., C^*), while values less than unity indicate a ratchet that favors surface reactants (e.g., C^*) versus surface products (e.g., D^*).

and the programmable catalyst becomes a reaction system that undesirably moves molecules in a loop converting work to heat.

In this work, programmable catalytic ratchets are evaluated at their component level of single elementary steps to understand the combinations of energy profiles leading to ratcheting behavior for varying programmable catalyst inputs such as frequency or duty cycle. When decomposed to their fundamental design parameters, each mechanism can be varied within large parameter space such that identifying conditions of effective operation cannot currently be determined *a priori*, including the

direction of the programmable ratchet (forward or reverse bias), the condition at which molecules traverse the ratchet (weak or strong catalyst binding state), and the temperatures and applied frequencies for which the ratchet becomes relevant to a catalytic reaction system. While characterization of stochastic energy ratchets has been extensively examined,^[11,12] this work will focus on the characteristics of *programmable* energy ratchets for catalysis. These fundamental descriptors of elementary catalytic ratchets will then serve to understand the more complicated behaviors of multi-step catalytic

mechanisms that exist in important surface reactions for energy and chemical technologies.

Methods. Elementary Ratchet Calculations. The kinetic behavior of elementary catalytic ratchets was assessed for each catalyst state (blue or green) via the forward and reverse rate constants for surface species A* and B* (or any other intermediate surface species such as C* or D*).

$$\frac{d\theta_C}{dt} = -k_1\theta_C + k_{-1}\theta_D \quad (1)$$

Integration of equation 1 and application of a site balance yields the surface coverage of C*, θ_C , on a surface at time, t , from initial surface coverage of C*, θ_C^0 , as a function of the rate constants of that particular catalyst state, written in two forms.

$$\theta_C = \frac{k_{-1} - [k_{-1} - \theta_C^0(k_1 + k_{-1})]e^{-(k_1 + k_{-1})t}}{(k_1 + k_{-1})} \quad (2a)$$

$$\theta_C = \theta_{C,state}^{EQ} + [\theta_C^0 - \theta_{C,state}^{EQ}]e^{-(k_1 + k_{-1})t} \quad (2b)$$

Because the catalyst oscillates between two states (blue and green), the surface coverage was averaged over the time of each catalyst state by calculating the integral over the state period,

$$\bar{\theta}_{C,state} = \left(\frac{1}{\tau_{state}}\right) \int_0^{\tau_{state}} \frac{k_{-1} - [k_{-1} - \theta_C^0(k_1 + k_{-1})]e^{-(k_1 + k_{-1})t}}{(k_1 + k_{-1})} dt \quad (3)$$

The average coverage of surface species C* was then determined for each catalyst state written in two forms.

$$\bar{\theta}_{C,state} = \frac{k_{-1}}{k_1 + k_{-1}} - \frac{1}{\tau_{state}} \left(\frac{k_{-1} - \theta_C^0(k_1 + k_{-1})}{(k_1 + k_{-1})^2} (1 - e^{-(k_1 + k_{-1})\tau_{state}}) \right) \quad (4a)$$

$$\frac{\bar{\theta}_{C,state} - \theta_{C,state}^{EQ}}{\theta_C^0 - \theta_{C,state}^{EQ}} = \frac{1 - e^{-(k_1 + k_{-1})\tau_{state}}}{(k_1 + k_{-1})\tau_{state}} \quad (4b)$$

To determine the average surface coverage in the limit cycle as it oscillates at temperature, T , and frequency, f , the average surface coverage was iteratively calculated for each state (blue then green) until the

average surface coverage achieved a constant value to four decimal places.

Reaction Simulation. Reactions were modeled using Julia (version 9.0). Included in the model was the single elementary reaction of C* to form D*; C* and D* could desorb to form C(g) and D(g), which could also re-adsorb to form C* and D*. The overall reaction energy was defined as ΔG_r . The surface reaction in the model was unimolecular and reversible,



The catalyst was forced to change between catalyst binding states (weak and strong) leading to variation of the binding energy of each surface species, C* and D*. The catalyst states were described via the binding energy of species C* equal to the opposite of the heat of adsorption ($-\Delta H_C^{ads} = BE_C$), and the applied surface square wave oscillation was defined as having amplitude based on the change in binding energy of species C* (ΔBE_C). The applied surface oscillation also had frequency, f , a shape (square), and a duty cycle, D_B , defined as the fraction of the oscillation period that was in the blue weak-binding catalyst state.

After specifying the binding energy of C* in both catalyst states (strong and weak binding), the binding energy of D* and the activation energy (*i.e.*, transition state energy) are defined relative to the binding energy of species C* using linear scaling relationships. The surface product, D*, is linearly scaled with C* via two parameters: gamma, γ , and delta, δ . The linear slope between the two binding energies is defined by γ , while δ_{D-C} represents the catalytic state in which two surface species have equivalent surface enthalpy.^[30,3]

$$\gamma_{D/C} = \frac{\Delta BE_D}{\Delta BE_C} \quad (6)$$

$$BE_C = BE_D = \delta_{D-C} \quad (7)$$

The binding energy of D*, BE_D , is then determined from the binding energy of species C* via equation 8,

$$BE_D = \gamma_{D/C} BE_C + (1 - \gamma_{D/C}) \delta_{D-C} \quad (8)$$

The forward reaction of the unimolecular elementary step has an activation energy, $E_{a,C}$, that is determined by the Brønsted-Evans-Polanyi (BEP) relationship,^[31,32,33] which defines a linear relationship

between the heat of surface reaction, $\Delta H_{R,1}$, and the activation energy, $E_{a,C}$.

$$E_{a,C} = \alpha_1 \Delta H_{R,1} + \beta_1 \quad (9)$$

The average free energy of the reactant, A(g) and product, D(g), binding energies of the four surface species, and activation energies of the five elementary steps at each catalytic state provide the necessary information to form the full microkinetic model. To compute the forward rate constants, the pre-exponential factors were calculated using transition state theory, assuming a transmission coefficient of 1. These rate constants were computed at the set reaction temperature. The reverse reaction activation energy was determined by the forward activation energy and the surface heat of reaction.

To model the adsorption and desorption of gas-phase molecules C and D, a CSTR reactor model was used. This reactor model was specified using the reactor volume (2.60×10^{-4} L), number of active catalytic sites (2.76×10^{-6} mol), and inlet mole fraction of C(g) (1.0 mol-C/mol-total).^[34] A target conversion (e.g., $X_C = 1\%$) was set and an initial guess for the flowrate was provided to begin the simulation. The model was forward integrated using DifferentialEquations.jl^[35] with the RadauIIA5 solver^[36] until a steady-state solution (i.e., limit cycle) was reached.

The range of catalyst oscillation amplitudes viable for consideration extend to binding energy shifts of ~1-to-2 eV (~100 to 200 kJ/mol). Experiments have demonstrated that adsorbates such as carbon monoxide can be varied in binding energy by ~20 kJ/mol on hafnia-based catalytic condensers with capacitance of 200-to-300 nF/cm².^[37,38] Recent experiments using catalytic condensers based on ion gel films have achieved capacitance as high as 20,000 nF/cm²,^[39] providing the possibility that binding energy shifts could increase by at least an order of magnitude to hundreds of kilojoules per mole.

All simulations except the data of Figure 11 used the method described in equations 1-4 of iterative solving of equations 1-4. The data of Figure 11 was obtained by the simulation in Julia as described.

Results and Discussion. Catalytic ratchets are a unique phenomenon that can occur with programmable surface reactions due to the dynamic variation of the catalytic surface with time.

Conventional catalysts such as supported metals or metal oxides with static electronic state absent external perturbation will promote reactions only towards equilibrium; a generic reaction of R(g) to P(g) on a surface through intermediates R* and P* (and transition state, R-P[‡]) with zero ΔG_{rxn} will proceed to equal gas-phase concentrations of each species. However, dynamic catalysts with forced-dynamic energy profiles (i.e., energy ratchets)^[1,8,40] that form ratchets can promote reactions away from equilibrium.^[2,34] Originally proposed by William P. Jencks in 1969, an oscillating enzyme catalyst was thought to promote a reaction either forwards or backwards.^[41] As the enzyme switches between two states of E and E', the reaction energy profiles connecting the bound reactant and bound product change, resulting in distinct transition states for each enzyme state. This avoids violating the principle of microscopic reversibility, since the transition state is accessible in either reaction direction in either enzyme state, E or E'. More recently, kinetic simulations of an enzyme in an electric field oscillating between two states was shown to promote chemistry away from equilibrium, as predicted by Jencks.^[41,42,43]

Elementary Catalytic Ratchet. An energy ratchet in programmable heterogeneous catalysis also imparts directionality (forwards or backwards) to surface reactions.^[10,30] For the simplest case of gaseous A(g) reacting to gaseous B(g) through surface intermediates A* and B* with transition state AB[‡], each of the state-to-state energy transitions are quantifiable and can be related to the ratchet performance. In more realistic reactions, the entire chemical surface mechanism is comprised of many elementary steps in series and parallel combinations in addition to the adsorption and desorption of chemical species (**Figure 2a**).^[44,45] Each elementary reaction, *i*, exhibits unique reaction energy between intermediates as well as unique transition states all of which are defined for variation of catalyst state (e.g., weak- and strong-binding states) by the four linear scaling parameters of α_i and β_i for the transition state energy and γ_i and δ_i for the intermediate species energies (**Table 1**). Moreover, catalyst state oscillations are described by the change in energy of a single intermediate, ΔBE_i , at varying frequencies, *f*. The breadth of parameters and resulting multi-state energy profiles for a single elementary reaction step currently results in sufficient complexity to prevent kinetic behavior by inspection, even when elementary steps exist independent of other elementary steps (e.g., other reactions or adsorption/desorption).




Figure 2. Elementary programmable catalytic ratchet behavior. (a) A catalytic reaction is comprised of multiple elementary steps including adsorption, desorption, and reactions associated with bond-breaking and bond-making events. A single elementary reaction is considered for the conversion of C^* to D^* . (b) A single set of dynamic parameters describe the conversion of C^* to D^* for a catalyst that oscillates between a weak-binding catalyst state (blue) and a strong-binding catalyst state (green) with varying intermediate binding and transition state energies ($\alpha = 0.78$, $\beta = 0.67$ eV, $\gamma_{D/C} = 2.0$, $\delta_{C-D} = 0.3$, $\Delta BE_C = 0.6$ eV). (c) Starting from an initial surface coverage of $\theta_C = 0.75$ and $\theta_D = 0.25$, the surface coverages of C^* and D^* vary about seven orders of magnitude between catalyst states in blue and green at a temperature of 223 K and 1.0 Hz. (d) Oscillation of the elementary step between C^* and D^* exhibits a average surface coverage of C^* (θ_C) at the limit cycle that varies with temperature and applied oscillation frequency ($10^{-2} < f < 10^6$); the yellow region with average coverage of $\theta_C \sim 0.5$ indicates the conditions whereby the ratchet does not function and the reaction equilibrates. Tabulated data available in Table S1 of the supporting information.

Insight into the general behavior of elementary reaction step ratchets is obtained by considering a single case depicted in **Figure 2b**. In this example, the catalyst oscillates between the weak binding state (blue) and the strong binding state (green); the depicted oscillation forcibly oscillates surface species C^* ($\Delta BE_C = 0.6$ eV), with species D^* and the transition state $C-D^\ddagger$ changing in energy as defined by the four linear scaling parameters ($\alpha = 0.78$, $\beta = 0.67$ eV, $\gamma_{D/C} = 2.0$, $\delta_{C-D} = 0.3$) selected to distinctly demonstrate elementary ratchet behavior. A key feature of this example is the difference in equilibrium between catalyst states; the weak-binding state (blue) overwhelmingly favors C^* , while the strong-binding state (green) overwhelmingly favors state D^* . As all

reactions are first order, it is visually apparent that the fastest rate is k_1 in the strong-binding state (green) with barrier of 0.44 eV, with the second fastest rate being k_{-1} in the weak-binding (blue) state with barrier of 0.60 eV.

A simulation of this elementary reaction ratchet is depicted in **Figure 2c** at 223 K and a catalyst oscillation frequency of 1.0 Hz. Starting from a surface coverage of θ_C° of 0.75 and θ_D° of 0.25, the initial weak-binding (blue) state ($0 < t < 0.5$ s) slowly increases the surface coverage of C^* , after which the catalyst green state ($0.5 < t < 1.0$ s) rapidly converts C^* to D^* and achieves the surface equilibrium of $\theta_{C,EQ} \sim 10^{-7}$ of the strong-binding catalyst state (green). Thereafter, the oscillation has achieved its final limit cycle. In the




Figure 3. Variations of programmable elementary catalytic ratchet systems. Elementary ratchets exhibit a range of energetic variation promoting reactions forwards or backwards away from the overall intermediate surface state equilibrium, $\bar{\theta}_{C,eq}$, that exists between each blue or green state surface equilibrium, $\theta_{C,eq}$. Forward or reverse ratchets promote surface coverages within the ratchet range on one of the sides of $\bar{\theta}_{C,eq}$. (a) A reverse ratchet with both blue and green states favoring high surface coverage of C*. (b) A reverse ratchet that with green and blue equilibrium surface coverages at extreme conditions, $0 < \theta_C < 1$, which has an operating ratchet steady state surface coverage above θ_C of 0.50. (c) A forward ratchet with both blue and green states favoring low surface coverage of C*. All systems were evaluated at 273 K.

weak-binding catalyst state (blue), D* slowly reacts to C* increasing the surface coverage of C* (e.g., $1.0 < t < 1.5$), after which the strong-binding catalyst state (green) rapidly returns the surface coverage of C* to low value ($\theta_C \sim 10^{-7}$). An interesting observation is the time-averaged surface coverage and how it compares with the equilibrium coverage that would result in a non-oscillatory system. The time averaged surface coverage of C* for this elementary ratchet at these conditions (223 K, 1 Hz) is only $\bar{\theta}_C \sim 0.05$, which is far below the ratchet equilibrium surface coverage of $\bar{\theta}_{C,eq} = 0.5$ (equation 10). This is a forward elementary catalytic ratchet that promotes the conversion of C* to D* beyond the equilibrium surface coverage.

The ratchet system of **Figure 2b** was further simulated for a range of temperatures ($193 < T < 393$ K) and applied catalyst frequencies ($10^{-2} < f < 10^6$) to determine the steady state time-averaged catalyst surface coverages, which are presented as a logarithmic heat map ($10^{-5} < \bar{\theta}_C < 1$) in **Figure 2d**; the site balance of θ_C and θ_D sum to unity. Inspection of the data indicates two general regions of behavior, indicating that an elementary step catalytic ratchet varies in performance with both applied temperature and frequency. At higher temperatures and lower applied catalyst oscillation frequencies, the average

coverage of C* matches the equilibrium surface coverage of the catalytic ratchet, $\bar{\theta}_{C,eq}$, defined as the averaged equilibrium coverage in each state of weak (W, $\theta_{C,W}^{EQ}$) or strong (S, $\theta_{C,S}^{EQ}$) binding,

$$\bar{\theta}_{C,eq} = \left(\frac{1}{2}\right) (\theta_{C,S}^{EQ} + \theta_{C,W}^{EQ}) \quad (10a)$$

$$\bar{\theta}_{C,eq} = \left(\frac{1}{n_j}\right) \sum n_j \theta_{C,j}^{EQ} \quad (10b)$$

The averaged equilibrium coverage can be calculated for any multi-state system with n_j catalyst states. In the ratchet system of **Figure 2b**, $\theta_{C,S}^{EQ} \sim 0$ while the $\theta_{C,W}^{EQ} \sim 1$, which results in an average equilibrium coverage of $\bar{\theta}_{C,eq} \sim 0.5$, which is yellow in **Figure 2d**. In these conditions that yield the average equilibrium coverage (low frequency, high temperature), the ratchet applies no directionality to the reaction and is dysfunctional. There is sufficient thermal energy and time for molecules to equilibrate in each catalytic state (weak-binding blue and strong-binding green), such that the catalytic ratchet has no impact on the surface coverage. In the other general region of **Figure 2d** (blue, top-left corner), average surface coverage of C* is less than 0.5, indicating that this particular catalytic ratchet has

forward directionality that depletes the surface of C*. Increased ratchet performance, indicated by further deviation from the time-averaged equilibrium coverage, occurs at lower temperature and faster applied frequency, as indicated by lower time-averaged coverage of C*. It is apparent that determination of a ratchet kinetics and directionality requires identification of both temperature and oscillation frequency.

Variations of Elementary Ratchets. Elementary catalytic surface reactions that oscillate between two or more states form ratchets of varying degrees of thermodynamic differences between reactants and products and accompanying kinetics. As depicted in **Figure 3a-3c**, ratchets of elementary reactions can promote reactions either forward or backwards away from equilibrium. Another characteristic of a catalytic ratchet is the equilibrium surface coverage of each catalyst state (*e.g.*, $\theta_{C,S}^{EQ}$) and the equilibrium surface coverage of the catalytic ratchet, $\bar{\theta}_{C,eq}$; two categories exist with either each state thermodynamically favoring opposite surface species (**Figures 2b** and **3b**) or both states thermodynamically favoring the same surface species (**Figures 3a** and **3c**).

The operation of the elementary catalytic ratchets of **Figure 3** can be visualized on a line of surface coverage of surface species C*, θ_C . For **Figure 3a**, both blue and green catalyst states thermodynamically and kinetically favor the formation of C*, such that the equilibrium coverages of each state (and the average of both states) is close to 100%. **Figure 3c** depicts the opposite scenario, with both catalyst states favoring the formation of D*, and all equilibrium coverages of C* are close to zero. Alternatively, ratchets of catalyst states with opposite equilibrium surface coverages (*e.g.*, **Figure 3b**) exhibit surface coverages over a larger range. The ratchet range depicted in purple identifies the surface concentrations that the oscillating catalytic ratchet can promote, dependent on the system temperature and oscillation frequency, as demonstrated in **Figure 2d**.

The elementary catalytic ratchet energy diagrams highlight the definition of a catalytic ratchet as a mechanism that uses energy input to change catalyst states resulting in different kinetics for the forward and reverse reactions to drive surface chemistry away from equilibrium. Energy input occurs via the changing of the catalyst and surface species from strong to weak binding (*i.e.*, green state to blue state transitions). The difference in forward and reverse kinetics derives from

the differences in transition state energy according to linear scaling relations as required for changes in surface reaction free energy with change in state. In the example of **Figure 2b**, the catalyst in the strong-binding state (green) favors the forward reaction to form D*, while the next fastest surface rate constant in the weak-binding state (blue) favors the reverse direction. The other two elementary reactions (forward in the blue state and reverse in green state) are significantly slower with larger transition state barriers. The result is net acceleration of the forward reaction as the catalyst oscillates between states, despite the catalytic ratchet exhibiting an equilibrium coverage of $\bar{\theta}_{C,eq} \sim 0.5$. The ratchet hence promotes the reaction away from equilibrium, as shown in **Figure 2d**. The three catalytic ratchets of **Figure 3** also show similar kinetic directionality, albeit with different adsorbate and transition state energies; all three systems exhibit an average surface coverage at equilibrium between the two state equilibria, with the forward and reverse bias ratchets promoting the reaction away from overall equilibrium towards surface coverages less than or greater than $\bar{\theta}_{C,eq}$, respectively.

Elementary Catalytic Ratchet Directionality Metric. The directionality of an elementary catalytic ratchet can be determined from simulation (*e.g.*, **Figure 2c** & **2d**); the limit cycle average surface coverage deviates higher or lower than equilibrium, $\bar{\theta}_{C,eq}$. However, each elementary catalytic ratchet can also be evaluated *a priori* via analysis of the constituent four kinetic rate coefficients (two for each catalyst state). For the range of possible parameters that define an elementary ratchet (α , β , γ , δ), one kinetic rate coefficient will be the fastest. For an elementary programmable ratchet that exhibits linear scaling behavior, the 2nd fastest rate coefficient exists in the opposite catalytic state relative to the fastest rate coefficient (*i.e.*, if the fastest rate coefficient is in the blue state, the 2nd fastest will be in the green state). The ratchet behavior of this elementary step can therefore be characterized by these two fastest kinetic rate coefficients (with the other two slower rate coefficients contributing negligibly), which is defined as the ratchet directionality metric, λ , of the ratio of the sum of forward versus reverse rate coefficients weighted by the input oscillation duty cycle, D_B , as derived in the supporting information (Eq. S12-S14).




Figure 4. Programmable elementary catalytic ratchet directionality metric, λ . Multiple combinations of dynamic scaling parameters (α , β , γ , δ , T , D_B , and ΔBE_A) were simulated to identify steady state average surface coverage to identify forward bias ratchets (purple) and reverse bias ratchets (orange). Ratchet directionality is predicted by the ratio of the sum of forward rate constants to the sum of reverse rate constants, weighted by the duty cycle as defined with the parameter, λ . Tabulated data available in Table S2-A and S2-B of the supporting information.

$$\lambda = \frac{(k_{1,blue}D_B + k_{1,green}(1-D_B))}{(k_{-1,blue}D_B + k_{-1,green}(1-D_B))} \quad (11a)$$

$$\lambda = \frac{\sum_j \tau_j k_{1,j}}{\sum_j \tau_j k_{-1,j}} \quad (11b)$$

The ratchet directionality metric (Eq. 11a) can be written generally (Eq. 11b) for catalyst states j using the definition of the duty cycle. The duty cycle, D_B , is defined as the fraction ($0 \leq D_B \leq 1$) of an oscillation period ($\tau = 1/f$) in a specific state, which in this case is the fraction of time of an oscillation period in the blue state.

$$D_B = \frac{\tau_{blue}}{\tau_{blue} + \tau_{green}} \quad (12)$$

The efficacy of the ratchet directionality metric, λ , was evaluated by simulating multiple variations of dynamic parameters as depicted in **Figure 4** for D_B of 0.5. For each parameter set, the sum of the forward rate constants weighted by the duty cycle were plotted versus the sum of the reverse rate coefficients weighted by the duty cycle, such that the parity line represents the boundary between forward and reverse elementary ratchets (*i.e.*, $\lambda = 1$). Parameter sets that exhibited forward directionality (*i.e.*, steady state surface coverages of C^* less than equilibrium, $\bar{\theta}_{C,eq}$) via simulation are depicted in purple, while reverse bias ratchet parameter sets identified by simulation are depicted in orange. As shown, all forward bias ratchets (purple) exist in the forward region ($\lambda > 1$), while all reverse bias ratchets (orange) exist in the reverse region ($\lambda < 1$).

Unique Elementary Ratchets. The simplicity of the ratchet directionality metric, λ , can also be tested by considering unique and extreme ratchet parameter sets. In **Figure 5a**, the strong-binding catalyst state (green) exhibits impartial equilibrium ($\Delta G_{green} = 0$), and the two fastest rate coefficients ($k_{1,green}$ and $k_{-1,green}$)




Figure 5. Unique programmable elementary catalytic ratchets. (a) A catalytic ratchet with ΔG_{rxn} in the strong-binding state (green) with low barrier relative to both weak-binding state (blue) barriers violates transition state linear scaling with $\alpha < 0$. (b) A catalytic ratchet with $\Delta G_{rxn} = 0$ in the strong-binding state (green) with ratchet directionality metric less than one. (c) A dynamic catalytic elementary step that exhibits no ratcheting behavior due to equal forward and reverse kinetics for a duty cycle of $D_B = 0.5$. Ratchet dynamic parameters are: $\alpha = 0.5$, $\beta = 0.375$, $\gamma = 2$, $\delta = 0.25$, $\Delta BE_C = 0.5$.




Figure 6. Programmable elementary catalytic ratchet pass condition. Catalytic ratchets exhibit a wide range of kinetic parameters leading to two classes of ratchets that allow for reaction through a transition state preferentially in either the weaker or stronger binding catalyst state. **(a)** A forward catalytic ratchet with weak pass conditions allows for C^* to form D^* under weak-binding catalyst conditions (blue). ($\alpha = 0.7$, $\beta = 0.5$, $\gamma = 0.3$, $\delta = 0.5$, $\Delta BE_C = 0.7$). **(b)** A forward catalytic ratchet with strong pass conditions allows for C^* to form D^* under strong-binding conditions. ($\alpha = 0.9$, $\beta = 1.0$, $\gamma = 2.0$, $\delta = 0.5$, $\Delta BE_C = 1.0$)

associated with the two lowest energy barriers (both 0.20 eV). When simulated at varying temperatures and applied frequencies, this elementary ratchet system operating at 50% duty cycle ($\tau_{\text{blue}} = \tau_{\text{green}}$) appears to violate the ratchet directionality metric with $\lambda < 1$ while exhibiting forward ratchet bias in simulations (Figure S2 in supporting information). However, the ratchet of **Figure 5a** exhibits nonviable linear scaling, making it unlikely to exist over viable oscillations in binding energy. The nonviability arises from the energetics in this system. Specifically, the smaller barrier of $k_{-1,\text{green}}$ (0.20 eV) relative to that of $k_{-1,\text{blue}}$ (0.25 eV), despite the reverse reaction of the blue catalyst state exhibiting negative reaction energy ($\Delta G_{-1,\text{blue}} = -25$ eV), would require a non-realistic transition state scaling parameter, α , less than zero. However, the similar yet viable ratchet of **Figure 5b** is consistent with the ratchet directionality parameter; it is a backwards directionality ratchet with $\lambda < 1$ (Figure S3 in the supporting information), which is possible since $k_{-1,\text{green}} < k_{-1,\text{blue}}$.

Another unique elementary dynamic reaction exists when the two catalyst states are equal and opposite, as depicted in **Figure 5c**. As shown, both catalyst states have fast kinetics with barriers of 0.25 eV and slow kinetics with barriers of 0.5 eV. For a duty cycle of $D_B = 0.5$, this corresponds to a ratchet directionality metric of unity ($\lambda = 1$), and this particular ratchet does not promote the reaction away from equilibrium when simulated (Figure S3 in the supporting information). Moreover, all elementary

parameter sets that have exhibit equal and opposite kinetics between catalyst states will have λ of unity at equal state time constants ($D_B = 0.5$) and will not behave as catalytic ratchets.

Weak and Strong Pass Ratchets. The unique combinations of energy barriers and rate constants lead to many possible catalytic ratchets which can be categorized by their enabling catalyst states. If a ratchet has two (or more) catalytic states, then under functioning conditions such as viable temperature ranges (described later for viable cutoff frequencies) the ratchet will permit molecules to react through the transition state under one catalyst state and prohibit significant reaction in the other catalyst state(s).

Ratchets can be further defined by the condition of reaction described by the strength of adsorbate binding as depicted in **Figure 6**. In one type of ratchet, the strong binding catalyst state (green) exhibits large energy barriers (0.60 and 0.46 eV) for both the forward and the reverse reaction (**Figure 6a**), while the weak binding state (blue) has a small forward barrier (0.26 eV) that allows C^* to readily react to D^* relative to all other rate constants. This is therefore a ‘weak pass’ forward ratchet (*i.e.*, the fastest reaction occurs in the weak-binding state of the catalyst). In contrast, ratchets also exist as depicted in **Figure 6b**, with large barriers in the weak-binding catalyst state (blue), while the strong binding state (green) has barriers readily traversable at accommodating temperatures (0.55 eV) in the forward direction, thus making this a ‘strong pass’ forward ratchet.




Figure 7. Programmable catalytic ratchets, steady state coverage, and cutoff frequencies. Points are simulation, and lines are equation 13. **(a)** A forward catalytic ratchet of C* reacting to D* at temperatures of 213-393 K decreases in surface coverage of C* with increasing applied frequency. $\alpha = 0.78$, $\beta = 0.67$, $\gamma = 2$, $\delta = 0.3$, $\Delta BE_C = 0.6$ eV. **(b)** A reverse ratchet of C* reacting to D* at temperatures of 213-293 K increases in surface coverage of C* with increasing applied frequency. $\alpha = 0.7$, $\beta = 0.5$, $\gamma = 1.2$, $\delta = 0.5$, $\Delta BE_C = 0.2$ eV. **(c)** A reverse ratchet of C* reacting to D* at temperatures of 193-273 K increases in surface coverage of C* with increasing applied frequency: $\alpha = 0.5$, $\beta = 0.5$, $\gamma = 2$, $\delta = 0.3$, $\Delta BE_C = 0.5$ eV. **(d)** Cutoff frequencies of the three ratchets determining their on/off states. All data is presented for duty cycles of $D_B = 0.5$. Tabulated data available in Tables S3 of the supporting information.

The type of ratchet, ‘strong pass’ or ‘weak pass,’ is identifiable by the catalyst state with the lowest reaction energy barrier. This characteristic, identifiable for individual ratchets in a multi-step series reaction, becomes important when considering the sequence of elementary steps. The order of ratchets determines if molecules can traverse multiple elementary steps at once; alternatively, a series of ratchets that switch between ‘strong pass’ and ‘weak pass’ characteristics would require multiple catalyst state changes to complete a catalytic reaction.

Elementary Catalytic Ratchet On/Off Temperatures and Frequencies. The elementary catalytic ratchet of **Figure 2** exhibits two general regions of behavior. At high temperature and low

applied frequencies, the ratchet is disabled and the average surface coverage of C* in a C*-to-D* reversible surface reaction equals the equilibrium surface coverage of $\bar{\theta}_{C,eq} \sim 0.5$ (yellow region in **Figure 2d**). However, at lower temperatures and higher applied frequencies, the ratchet becomes functional and drives the reaction away from equilibrium, which for this particular ratchet is towards D* (and lower surface coverages of C*). The interface between the two ratchet behaviors exists with a sharp transition, indicative of on/off behavior of the ratchet, that varies both with applied frequency, duty cycle, and temperature.

The ratchet on/off transition can be predicted by modeling the ratchet as a frequency response filter as

described in equation 13. The time-averaged surface coverage of C^* , $\bar{\theta}_{C,Avg}$, depends on the equilibrium of the two catalytic states, $\bar{\theta}_{C,eq}$, defined in equation 10. The surface coverage is modulated from equilibrium by the band pass equation with time constant $1/k_{II}$, where k_{II} is the second fastest rate constant of the four in the two-state elementary catalytic ratchet. This is multiplied by the time associated with state associated with the second fastest time constant, τ_{II} , divided by four, which is determined by the applied frequency, f , and the duty cycle, D_B (*i.e.*, the fraction of time in the oscillation period that exists in the blue state). This quantity in equation 13 is multiplied by the difference between the equilibrium surface coverage and the inverse of λ plus one, a quantity that determines the surface coverage at high frequency (*hf*) ratchet function (derived in the supporting information).

$$\bar{\theta}_{C,Avg} = \bar{\theta}_{C,eq} + \left(\frac{1}{(1+k_{II}\tau_{II}/4)^2} \right) \left(\frac{1}{1+\lambda} - \bar{\theta}_{C,eq} \right) \quad (13)$$

$$\tau_{Blue} \left. \frac{d\theta_C}{dt} \right|_{Blue} + \tau_{Green} \left. \frac{d\theta_C}{dt} \right|_{Green} = 0 \quad (14a)$$

$$\bar{\theta}_{C,hf} = \frac{1}{1+\lambda} \quad (14b)$$

The quantity, λ , is again the ratio of sum of forward rate constants to the sum of reverse rate constants weighted by the input program duty cycle, as written in equation 11; it was derived in the supporting information beginning from equation 14. By equation 13, the deviation from equilibrium, $\bar{\theta}_{C,eq}$, occurs when the oscillation frequency is sufficiently high and τ_{II} is sufficiently small. It is important to note that equation 13 is a semi-empirical model, inspired by transfer functions commonly employed in the analysis of band pass filters/amplifiers. Error analysis of multiple model forms are presented in the supporting information in Figure S1, where variations of transfer functions were considered. While many variations of transfer functions in equation 13 approximate the average surface coverage of C^* at steady state oscillatory conditions, all of the considered models were only effective at representing the data when using the second-fastest rate constant, k_{II} , thereby indicating its importance in regulating ratchet kinetics.

The utility of the equation 13 approximating the catalytic ratchet was evaluated by comparison with simulation, as shown in **Figure 7**. The first ratchet in **Figure 7a** is forward bias of the C^* -to- D^* surface

reaction with equilibrium surface coverage of $\bar{\theta}_{C,eq} \sim 0.5$; this is the same ratchet as evaluated in **Figure 2**. As temperature increased, the applied frequency necessary to achieve time-averaged surface coverages less than equilibrium increased, resulting in average surface coverages at steady state that are small fractions of a surface ($0.0001 < \bar{\theta}_C < 0.01$). Data points are the simulations, while the lines are equation 13, using the kinetic parameters of each catalytic state; as shown, equation 13 describes the equilibrium coverage at low applied frequency, the constant steady state coverage of species i at high frequency, $\bar{\theta}_{i,hf} = (1 / (1 + \lambda))$, and the transition between extreme coverage values.

Another ratchet type of reverse bias depicted in **Figure 7b** exhibits two catalytic states that both favor high surface coverage of C^* with parameters: $\alpha = 0.7$, $\beta = 0.5$, $\gamma = 1.2$, $\delta = 0.5$, $\Delta BE_C = 0.2$ eV. With a high equilibrium C^* surface coverage ($0.95 < \bar{\theta}_{C,eq} < 0.99$) at each temperature, the surface coverage further increases with increased applied frequency. This ratchet is also unique due to the significant differences in equilibrium surface coverage, $\bar{\theta}_{C,eq}$, which varies at each temperature. In comparison, the kinetic behavior of another reverse bias ratchet is depicted in **Figure 7c**, which is the same ratchet as described in **Figure 3b**. This catalytic ratchet has $\bar{\theta}_{C,eq}$ of ~ 0.50 , due to the opposing thermodynamics of the two catalyst states, while the time-averaged steady state coverage of C^* is $\bar{\theta}_C > 0.8$ at high applied frequency. In all of these ratchets with unique kinetic characteristics, equation 13 describes the kinetic response of the simulation data.

For a catalytic ratchet oscillating at equal time in each state, the $f \sim 1/(2\tau_{II})$ corresponds to a duty cycle of D_B of 50%. For this condition, the cutoff frequency, f_c , can be calculated from equation 13 when the transfer function equals half of its value,

$$\left(\frac{1}{(1+k_{II}\tau_{II}/4)^2} \right) = \frac{1}{2}, \quad f_c = \frac{k_{II}D_{II}}{4(\sqrt{2}-1)} \quad (15)$$

The cutoff frequency, f_c , where the ratchet becomes kinetically relevant (*i.e.*, turns 'on') is readily calculable for each ratchet at each temperature using the second fastest rate constant, k_{II} , and the duty cycle as defined for the catalyst state with the second fastest rate constant. The quantity, D_{II} , is the duty cycle of the state which has the 2nd fastest rate coefficient; D_{II} equals D_B if k_{II} is in the weak-binding blue state, or D_{II}




Figure 8. A negative-scaling programmable elementary catalytic ratchet. (a) An elementary ratchet with negative scaling ($\gamma = -2$) exhibits opposing changes in binding energy between reaction intermediates C^* and D^* . ($\alpha = 0.7$, $\beta = 0.7$, $\delta = 0.1$, $\Delta BE_C = 0.2$ eV) (b) The elementary catalytic ratchet exhibits forward bias that decreases surface coverage of C^* from its equilibrium value of 0.5 at increasing temperature; points are simulation, and lines are equation 13. All data is presented for duty cycles of $D_B = 0.5$. Tabulated data available in Table S4 of the supporting information.

equals $(1 - D_B)$ if K_{II} is in the strong-binding green state. For each of the three ratchets, the cutoff frequencies are depicted as a function of inverse temperature, indicating the transition between functioning and non-functioning catalytic ratchets dependent on the kinetics of each elementary step.

Negative Scaling. The description of elementary catalytic ratchets to this point has focused on positive scaling ($\gamma_{D/C} > 0$), but some intermediates respond to catalyst stimuli via opposing changes in binding energy.^[34] As one adsorbate strengthens in binding energy, the other adsorbate weakens in binding energy; this corresponds to negative gamma scaling ($\gamma_{D/C} < 0$). As depicted in **Figure 8a**, negative scaling elementary catalytic ratchets exhibit free energy profiles that change in opposite directions ($\alpha = 0.7$, $\beta = 0.7$, $\gamma_{D/C} = -2$, $\delta = 0.1$, $\Delta BE_C = 0.2$ eV). In this particular example, the fastest step and smallest barrier is the forward direction in the weak-binding catalyst state (blue), making this a forward ratchet, while the second fastest step and second highest barrier is the reverse direction in the strong-binding catalyst state (green).

Simulation of the negative ratchet is depicted in **Figure 8b** for five temperatures (273-353 K) over a range of 0.01 to 10^6 Hz. At low applied frequency, the average steady state coverage of C^* is 0.5, as expected for an elementary ratchet that exhibited significant changes in overall reaction energy in both states (0.30 and -0.30 eV). As applied frequency increased, the ratchet began to promote deviation of average surface

coverage of C^* to lower values (*i.e.*, forward ratchet). The ratchet turned on (*i.e.*, cutoff frequency) between ~ 1 Hz at 273 K up to $\sim 10,000$ Hz at 373 K. Final steady state surface coverages for each temperature matched the expected quantity at high frequency ($\bar{\theta}_{C,hf} = 1 / (1 + \lambda)$). These simulated data were also predicted by equation 13, indicating that positive and negative gamma scaling ratchets exhibit comparable and predictable behavior.

Ratchet Duty Cycle & Mixed Timescales. A catalyst surface input program has design options that include applied frequency, amplitude, and oscillation offset, but another option is the duty cycle setting (D_B). The duty cycle, D_B , is the fraction ($0 \leq D_B \leq 1$) of an oscillation period in a specific state, which in this case is the fraction of time of an oscillation period in the blue state. Up to this point, the duty cycle has been fixed at D_B of 50%. With varying D_B corresponding to longer and shorter duration of each oscillation in each catalyst state, the chemistry has more or less time to approach equilibrium in each particular state, ultimately achieving different average surface coverage throughout the limit cycle.

The implications of duty cycle were assessed in **Figure 9a** by simulating the elementary catalytic ratchet of **Figure 2** (points are simulation, lines are equation 13) with varying duty cycle ($0.0001 < D_B < 0.999$) and defined linear scaling parameters ($\alpha = 0.78$, $\beta = 0.67$ eV, $\gamma(D/C) = 2.0$, $\delta_{C-D} = 0.3$, $\Delta BE_C = 0.6$ eV). This forward ratchet at a duty cycle of 0.50 exhibited a cutoff frequency of $f_c \sim 21$ Hz and varied from the




Figure 9. Variable duty cycle elementary catalytic ratchets. (a) An elementary reaction of C^* to D^* at 273 K with defined linear scaling dynamic parameters and binding energy shift exhibits variable steady state average surface coverage of C^* with varying duty cycle, $0.0001 \leq D_B \leq 0.999$. ($\alpha = 0.78$, $\beta = 0.67$ eV, $\gamma_{D/C} = 2.0$, $\delta_{C-D} = 0.3$, $\Delta BE_C = 0.6$ eV). (b) An elementary reaction of C^* to D^* at 153 K with defined linear scaling dynamic parameters and binding energy shift exhibits variable steady state average surface coverage of C^* with varying duty cycle, $0.0001 \leq D_B \leq 0.9999$. ($\alpha = 0.5$, $\beta = 0.375$ eV, $\gamma_{D/C} = 2.0$, $\delta_{C-D} = 0.25$, $\Delta BE_C = 0.5$ eV). This particular elementary catalytic ratchet shifts from a forward ratchet to a reverse ratchet below and above a duty cycle of 0.5, respectively. Tabulated data available in Table S5 of the supporting information.

equilibrium surface coverage of $\bar{\theta}_{C,eq}$ of ~ 0.50 to the high frequency ($f \gg f_c$) coverage of $\bar{\theta}_{C,hf} = 7.9 \times 10^{-4}$. Variation of the duty cycle altered the surface coverage response by changing both the high frequency coverage $\bar{\theta}_{C,hf}$ and cutoff frequency, f_c . Lower duty cycles ($D_B < 0.5$) exhibited lower cutoff frequencies (< 10 Hz) and lower C^* surface coverages at high frequency ($\bar{\theta}_{C,hf} < 0.5$), while higher duty cycles ($D_B > 0.5$) exhibited higher cutoff frequencies (> 10 Hz) and larger C^* surface coverages at high frequency ($\bar{\theta}_{C,hf} > 0.5$). However, all considered duty cycles resulted in a ratchet with forward bias ($\lambda > 1$) that favored formation of D^* relative to equilibrium, $\bar{\theta}_{C,eq}$.

The impact of duty cycle on ratchet directionality is more significant in the simulation of **Figure 9b**, which applies varying duty cycle to the elementary catalytic ratchet of **Figure 5c** with defined linear scaling parameters ($\alpha = 0.5$, $\beta = 0.375$ eV, $\gamma_{D/C} = 2.0$, $\delta_{C-D} = 0.25$, $\Delta BE_C = 0.5$ eV). Simulations are represented by points, while the model of equation 13 are lines. For a neutral duty cycle of $D_B = 0.5$, this ratchet exhibited no directional bias to the reaction with all steady state time-averaged surface coverages of C^* , $\bar{\theta}_{C,Avg}$, equal to the $\bar{\theta}_{C,eq}$ of ~ 0.50 . However, variation of the duty cycle away from D_B of 0.5 imposed directional bias on the catalytic ratchet;

forward bias existed for this ratchet for duty cycles below 0.5, and reverse bias existed for this ratchet for duty cycles above 0.5. The switching of ratchet bias was predicted by the ratchet metric, λ , in equation 11, where the reaction rate constants were modified by the duty cycle. However, the duty cycle only sufficiently influences the ratchet directionality metric, λ , when the fastest two rate constants are comparable in value or at extreme values of the duty cycle, D_B .

Multi-Step Mechanisms and Elementary Ratchet Symbols. The single elementary catalytic ratchet has no significance outside of a full catalytic reaction. Yet, the entire reaction network comprising a catalytic reaction can be described using a combination of multiple elementary steps. This approach of ‘detailed chemistry’ or ‘microkinetics’ has been the foundation of heterogeneous catalysis modeling for the past half century, with mean field kinetic models describing each elementary reaction describing complex reaction networks.^[46] Description of the kinetics of each elementary reaction is challenging due to the extent of required model characteristics; this challenge is further increased for kinetic reaction models that aim to describe programmable catalytic reactions on dynamic surfaces.

The proposed benefit of understanding the dynamic behavior of each independent elementary step is that the combined reaction model with




Figure 10. Multi-step programmable catalytic surface reaction mechanism with series and parallel elementary ratchets. (a) A sequence of series and parallel elementary steps comprise a complete reaction to convert A(g) to E(g). For dynamic perturbation of the catalyst, each elementary reaction forms a catalytic ratchet that exhibits forward or reverse bias with cutoff frequency, f_c , for given temperature, T_1 , and strong (S) or weak (W) binding condition that allows molecules to traverse the transition state. (b) Summary of the reaction network characteristics at temperature, T_1 , and frequency, $f = 500$ Hz.

characteristics of the individual elementary step dynamics can be evaluated to understand its general behavior under varying temperature and applied frequency input programs. To consider this possibility, an example generic reaction network is depicted in **Figure 10a** converting A(g) to E(g) through surface species A*-to-E* at temperature T_1 and applied frequency, f . For the selected temperature, T_1 , the kinetic parameters of each elementary step were calculated for each catalyst state ($k_{1,g}$, $k_{-1,g}$, k_{1b} , k_{-1b}) and the three characteristics of each elementary catalytic ratchet can be calculated: (1) the ratchet directionality depicted as an arrow (\rightarrow or \leftarrow) was determined by calculating λ , (2) the cutoff frequency was calculated by equation 15, and (3) the pass condition was identified as the strong- or weak-binding catalyst state (S or W) with the fastest rate constant. Each of these characteristics are listed next to the reaction network of **Figure 10a**.

The reaction network is summarized on the frequency diagram of **Figure 10b**, where each elementary reaction is depicted in the strong- or weak-pass column at the calculated cutoff frequency; each elementary ratchet directionality is shown as a forward or backwards arrow. These cutoff frequencies are then compared with the applied program frequency, $f = 500$ Hz, shown as a dashed line; all ratchets below 500 Hz are functional, while the single ratchet associated with

C*-to-D* elementary reaction is dysfunctional at these conditions.

Without simulating this reaction network, it becomes possible to anticipate the catalytic reaction progression under dynamic conditions ($T_1, f = 500$ Hz). In the strong binding state of the catalyst, A(g) adsorbs to form A*, which then reacts to form B* and then F*. When the catalyst switches to the weak binding state, F* reacts to form G*. Switching back to the strong catalyst state, G* reacts to form C*. At this point C* has two other possible reaction paths; C* will likely not react to form B* in the strong binding catalyst state, since it would need to pass through a weak-pass elementary ratchet. Instead, C* will likely react to form D*; even though the C*-to-D* ratchet has reverse directionality, its cutoff frequency is higher than the applied frequency and the reaction can proceed in either catalyst state. While the catalyst is still in the strong binding state, D* will then react to form E*, which will then desorb to form E(g) product. The entire catalyst reaction requires a sequence of strong-to-weak-to-strong catalyst binding states for progression from A(g) to A* to E* to E(g).

It is unknown if the proposed interpretation of **Figure 10** would agree with a detailed simulation of the entire reaction network; will this overall approach of interpreting combined elementary ratchets by their three characteristics provide an *a priori* interpretation of complex networks of programmable catalytic




Figure 11. Series three-step catalytic escapement mechanism. (a) The reaction of A(g) to D(g) occurs on a catalytic surface through A*, B*, C*, and D* in two catalytic states that are strong (green) or weak (blue) binding. (b) The intermediate and transition state linear scaling parameters of the reaction from A* to D*. (c) All three surface reactions are weak-pass catalytic ratchets; their directionality was calculated by determining λ_1 , λ_2 , and λ_3 . (d) The cutoff frequencies of the three elementary catalytic ratchets, $f_{c,i}$, was calculated as a function of reaction temperature. Three temperatures were considered of 263, 303, and 343 K. (e) Simulation of the three-step surface reaction determined the time-averaged turnover frequency at three temperatures over a frequency range of 10^{-6} to 10^7 Hz. Moderate applied frequencies exhibited turnover frequencies equal to the applied frequency. Maximum dynamic turnover frequency was achieved above the elementary reaction 1 cutoff frequency $f_{c,1}$, depicted as vertical dashed lines for each temperature. (f) Static simulation of the three-step reaction at varying binding energy of A* results in Sabatier volcano peaks for three temperatures. (g) Surface coverages of A*, B*, C*, and D* on the dynamic three-step reaction for varying applied frequencies at 303 K. Tabulated data available in Figure S6 of the supporting information.

reactions? Future work will simulate complex reaction networks and compare the flux of chemistry through different pathways and assess the viability of interpreting combinations of simple elementary catalytic ratchets.

A more simple three-reaction-step catalytic system was assessed via simulation in **Figure 11**, which consisted of A(g) reacting to D(g) through the surface species A*, B*, C*, and D*. As shown in **Figure 11a**, this exergonic reaction exhibits overall -2.5 eV in free energy change overwhelmingly favoring the formation of D(g) relative to A(g). This programmable reaction is depicted for an oscillation amplitude of ΔBE_A of 1.8 eV, and all four surface intermediates and their transition states change in accordance with the linear scaling relationships and the parameters of **Figure 11b**.

The exergonic reaction of **Figure 11** is particularly interesting as compared to the endergonic reaction of **Figure 1**. The catalytic ratchet of **Figure 1** operates at specific amplitudes and frequencies to promote the unfavorable conversion of A(g) to B(g) using a net energy input to change catalyst states. In contrast, the series of catalytic ratchets in **Figure 11a** serve the reverse purpose; the reaction pathway depicted by the red molecule follows a sequence of state changes and elementary reactions resulting in a net energy output ($|\Delta G_{A^*,b \rightarrow g}| > |\Delta G_{C^*,g \rightarrow b}|$) such that the reaction is generating work. In this manner, the series of catalytic elementary ratchet steps act as an ‘escapement,’ essentially metering out the reaction to proceed at the rate of applied frequency (similar to a mechanical watch). The total ‘net’ work will be negative (generating work) if the reaction proceeds through the A* blue-to-green transition as drawn; at sufficiently high temperatures and lower frequencies, the reaction could alternatively proceed in the blue state (weak binding) to B* and then react over TS₂ to C*, where it primarily releases heat. Selection of the applied frequency and reaction temperature will determine which path (work or heat generating) occurs.

The catalytic system of **Figure 11** was interpreted via the three characteristics of each catalytic elementary ratchet in **Figure 11c**. All three elementary steps are weak-pass ratchets; ratchets 2 and 3 are forward directionality, and ratchet 1 is backward directionality. The cutoff frequencies of all three ratchets are calculated by equation 15 and plotted as a function of inverse temperature in **Figure 11d**.

Reaction 3 always has the lowest cutoff frequency, while reactions 2 and 3 are similar higher frequencies.

The three-step reaction in **Figure 11a** was simulated under dynamic conditions to determine the time-averaged turnover frequency (**Figure 11e**) to form D(g) for varying temperature (263, 303, and 343 K) and varying applied frequency (10^{-6} to 10^7 Hz) at 1% conversion of A(g). Simulations at all three temperatures exhibit three regions of catalytic behavior. At low applied frequencies, the programmable catalyst acts like two independent static catalysts averaged at a 50% duty cycle. At moderate applied frequencies, there exists parity between time-averaged TOF with the applied frequency; every turnover of the catalyst yields a catalytic turnover. At high frequency, the programmable catalyst achieves a maximum catalytic rate that is constant with applied frequency.

The observed dynamic catalytic behavior is consistent with prior examples and can be interpreted with the fundamental characteristics of elementary ratchets.^[1] For the three considered temperatures (263, 303, and 343 K), the static catalytic rates at 1% conversion of A(g) are depicted in **Figure 11f**. This reaction yields a Sabatier volcano with varying binding energy of A*, such that the maximum static catalytic rate exists at $BE_{A^*} \sim 1.6$ eV. Moreover, oscillation of the binding energy of A* with time exhibits catalytic turnover frequencies in excess of the Sabatier peak by several orders of magnitude (compare **Figure 11e** to **11f**), as previously demonstrated.^[1]

The transition between the parity region (equal applied frequency and TOF) and the maximum TOF at high applied frequency occurs at the cutoff frequency of the first elementary reaction. As marked with a vertical dashed line in **Figure 11e**, the cutoff frequency of step 1 predicted by equation 15 changes with temperature to demarcate the onset of the maximum time-averaged TOF. The overall rate limit imposed by step 1 is more apparent when observing the time-averaged surface coverage of all four surface species depicted in **Figure 11g**. Below the step 1 cutoff frequency, $f_{C,1}$, the time-averaged surface is comprised of equal fractions of A* and C*; this is consistent with the escapement mechanism, whereby the surface fills with A* in the weak state then fills with C* in the strong state. However, at the step 1 cutoff frequency, the surface coverage of C* decreases and A* increases as the rate of molecules traversing TS₁ decreases. The only backwards ratchet in the mechanism becomes the overall rate limitation once it

is turned on at frequencies above its cutoff frequency. B^* is merely a short-lived intermediate in this mechanism.

The Independent Ratchet Interpretation. The utility of interpreting independent catalytic elementary ratchets that are part of a larger reaction mechanism remains to be assessed. It is of course desirable to use the characteristics of each elementary ratchet (directionality, cutoff frequency, pass condition) to predict the catalytic behavior of a complex reaction network, as described in **Figures 10** and **11**. A reaction network operating under programmed dynamics is an amalgamation of reaction frequencies; each forward (*e.g.*, k_1) or backwards (*e.g.*, k_{-1}) rate constant corresponds to a frequency. Assessing the cutoff frequency of each elementary reaction aids in identifying the *relevant* frequency for comparison with the applied frequency, which is shown in this work to be the cutoff frequency calculated from the second largest rate constant.

Beyond simple model systems, it has already been shown that complex reaction networks of real chemistries exhibit complex behavior under dynamic programmable operation. For example, dynamic variation of surface strain of ruthenium catalyst surfaces in ammonia synthesis exhibited unique chemical behavior; the catalytic rate and extent of formation of ammonia was shown to change either above or below equilibrium with varying applied frequency.^[10] These behaviors could result from applied frequencies existing above or below different ratchet cutoff frequencies within the ammonia synthesis mechanism, changing the direction of reactions and yielding different catalytic rates. As these examples demonstrate, identification of the three key characteristics of elementary catalytic ratchets is just the beginning; future work is required to understand the impact of combinations of elementary ratchets in dynamic complex catalytic mechanisms.

Conclusions. Catalytic elementary reactions exhibiting ratchet-like behavior were evaluated to determine their fundamental behaviors under oscillating catalyst conditions to control chemistry and promote reactions away from equilibrium. Simulations evaluated oscillatory conditions that switched between two catalyst states of strong and weak binding of surface species to identify three characteristics that define elementary catalytic ratchets. First, promotion of surface chemistry in the forward or reverse direction away from equilibrium by elementary catalytic

ratchets can be determined by a ratchet directionality metric based on the applied catalyst program duty cycle and the kinetic rate constants, which are based on the applied amplitude of surface energy oscillation. Second, each elementary catalytic ratchet oscillating between two catalyst states can be identified by one of its two states, strong or weak adsorbate binding, for which reactants traverse through the transition state. A third characteristic is the cutoff frequency of the elementary catalytic ratchet, which is the frequency which defines the transition of the ratchet between on and off conditions; applied frequencies above the cutoff frequency of a ratchet lead to promotion of reactions away from equilibrium, while applied frequencies below the cutoff frequency do not. These three characteristics of elementary ratchets are predictable by the kinetic rate constants of the catalytic ratchet and the characteristics of the applied oscillation to the catalyst surface; ratchet behavior was modeled for both time-averaged surface coverage of species and cutoff frequency behavior. It is proposed that future work can evaluate programmable complex reaction networks by assessing the three fundamental characteristics of elementary catalytic ratchets in each step of overall multi-step reaction networks.

Acknowledgements. This work was supported as part of the Center for Programmable Energy Catalysis, an Energy Frontier Research Center funded by the U.S. Department of Energy, Office of Science, Basic Energy Sciences at the University of Minnesota under award #DE-SC0023464.

Keywords. Dynamics, Programmable, Catalyst, Ratchet, Frequency

Supporting Information. Additional details including data tables of results presented in figures, derivation of the ratchet directionality metric, and comparison of average surface coverage models.

References

- (1) Ardagh, M. A.; Abdelrahman, O. A.; Dauenhauer, P. J. Principles of Dynamic Heterogeneous Catalysis: Surface Resonance and Turnover Frequency Response. *ACS Catalysis* **2019**, 9 (8), 6929–6937. <https://doi.org/10.1021/acscatal.9b01606>.
- (2) Ardagh, M. A.; Birol, T.; Zhang, Q.; Abdelrahman, O. A.; Dauenhauer, P. J. Catalytic

- Resonance Theory: SuperVolcanoes, Catalytic Molecular Pumps, and Oscillatory Steady State. *Catalysis Science and Technology* **2019**, *9* (18), 5058–5076. <https://doi.org/10.1039/c9cy01543d>.
- (3) Shetty, M.; Walton, A.; Gathmann, S. R.; Ardagh, M. A.; Gopeesingh, J.; Resasco, J.; Birol, T.; Zhang, Q.; Tsapatsis, M.; Vlachos, D. G.; Christopher, P.; Frisbie, C. D.; Abdelrahman, O. A.; Dauenhauer, P. J. The Catalytic Mechanics of Dynamic Surfaces: Stimulating Methods for Promoting Catalytic Resonance. *ACS Catalysis* **2020**, 12666–12695. <https://doi.org/10.1021/acscatal.0c03336>.
- (4) Onn, T. M.; Gathmann, S. R.; Wang, Y.; Patel, R.; Guo, S.; Chen, H.; Soeherman, J. K.; Christopher, P.; Rojas, G.; Mkhoyan, K. A.; Neurock, M.; Abdelrahman, O. A.; Frisbie, C. D.; Dauenhauer, P. J. Alumina Graphene Catalytic Condenser for Programmable Solid Acids. *JACS Au* **2022**. <https://doi.org/10.1021/jacsau.2c00114>.
- (5) Qi, J.; Resasco, J.; Robotjazi, H.; Alvarez, I. B.; Abdelrahman, O.; Dauenhauer, P.; Christopher, P. Dynamic Control of Elementary Step Energetics via Pulsed Illumination Enhances Photocatalysis on Metal Nanoparticles. *ACS Energy Letters* **2020**, *5* (11), 3518–3525. <https://doi.org/10.1021/acsenerylett.0c01978>.
- (6) Dauenhauer, P. J.; Shetty, M.; Ardagh, M. A.; Pang, Y.; Abdelrahman, O. A. Electric-Field-Assisted Modulation of Surface Thermochemistry. *ACS Catalysis* **2020**, *10* (21), 12867–12880. <https://doi.org/10.1021/acscatal.0c02124>.
- (7) Abdelrahman, O. A.; Dauenhauer, P. J. Energy Flows in Static and Programmable Catalysts. *ACS Energy Letters* **2023**, *8* (5), 2292–2299. <https://doi.org/10.1021/acsenerylett.3c00522>.
- (8) Borsley, S.; Gallagher, J. M.; Leigh, D. A.; Roberts, B. M. W. Ratcheting Synthesis. *Nature Reviews Chemistry* **2023**. <https://doi.org/10.1038/s41570-023-00558-y>.
- (9) Erbas-Cakmak, S.; Fielden, S. D. P.; Karaca, U.; Leigh, D. A.; McTernan, C. T.; Tetlow, D. J.; Wilson, M. R. Rotary and Linear Molecular Motors Driven by Pulses of a Chemical Fuel. *Science* **2017**, *358* (6361), 340–343. <https://doi.org/10.1126/science.aao1377>.
- (10) R., W. G.; Shizhong, L.; J., D. P.; G., V. D. Catalytic Resonance of Ammonia Synthesis by Simulated Dynamic Ruthenium Crystal Strain. *Science Advances* **2022**, *8* (4), eabl6576. <https://doi.org/10.1126/sciadv.abl6576>.
- (11) Astumian, R. D. Kinetic Asymmetry and Directionality of Nonequilibrium Molecular Systems. *Angewandte Chemie* **2024**, *136* (9), e202306569. <https://doi.org/10.1002/ange.202306569>.
- (12) *Molecular Ratchets and Kinetic Asymmetry: Giving Chemistry Direction - Borsley - Angewandte Chemie International Edition - Wiley Online Library*. <https://onlinelibrary.wiley.com/doi/10.1002/anie.202400495> (accessed 2024-05-12).
- (13) Hoffmann, P. M. *Life's Ratchet. How Molecular Machines Extract Order from Chaos.*; Basic Books, 2012; Vol. 52. <https://doi.org/10.1002/anie.201304031>.
- (14) Serreli, V.; Lee, C.-F.; Kay, E. R.; Leigh, D. A. A Molecular Information Ratchet. *Nature* **2007**, *445* (7127), 523–527. <https://doi.org/10.1038/nature05452>.
- (15) Alvarez-Pérez, M.; Goldup, S. M.; Leigh, D. A.; Slawin, A. M. Z. A Chemically-Driven Molecular Information Ratchet. *J. Am. Chem. Soc.* **2008**, *130* (6), 1836–1838. <https://doi.org/10.1021/ja7102394>.
- (16) Borsley, S.; Gallagher, J. M.; Leigh, D. A.; Roberts, B. M. W. Ratcheting Synthesis. *Nat Rev Chem* **2024**, *8* (1), 8–29. <https://doi.org/10.1038/s41570-023-00558-y>.
- (17) Astumian, R. D. Stochastically Pumped Adaptation and Directional Motion of Molecular Machines. *Proceedings of the National Academy of Sciences* **2018**, *115* (38), 9405–9413. <https://doi.org/10.1073/pnas.1714498115>.
- (18) Astumian, R. D. Stochastic Conformational Pumping: A Mechanism for Free-Energy Transduction by Molecules. *Annual Review of Biophysics* **2011**, *40* (Volume 40, 2011), 289–313. <https://doi.org/10.1146/annurev-biophys-042910-155355>.
- (19) Dauenhauer, P. J. Up up down down Left Right Left Right B A Start for the Catalytic Hackers of Programmable Materials. *Matter* **2023**, *6* (12), 4145–4157. <https://doi.org/10.1016/j.matt.2023.11.008>.
- (20) Qi, J.; Resasco, J.; Robotjazi, H.; Alvarez, I. B.; Abdelrahman, O.; Dauenhauer, P.; Christopher, P. Dynamic Control of Elementary Step Energetics via Pulsed Illumination Enhances Photocatalysis on Metal Nanoparticles. *ACS*

- Energy Letters* **2020**, 3518–3525.
<https://doi.org/10.1021/acsenergylett.0c01978>.
- (21) Dauenhauer, P. J.; Ardagh, M. A.; Shetty, M.; Kuznetsov, A.; Zhang, Q.; Christopher, P.; Vlachos, D. G.; Abdelrahman, O. A. Catalytic Resonance Theory: Parallel Reaction Pathway Control. *Chemical Science* **2020**, *11* (13), 3501–3510. <https://doi.org/10.1039/c9sc06140a>.
- (22) Tedesco, C. C.; Kitchin, J. R.; Laird, C. D. Cyclic Steady-State Simulation and Waveform Design for Dynamic/Programmable Catalysis. *J. Phys. Chem. C* **2024**.
<https://doi.org/10.1021/acs.jpcc.4c01543>.
- (23) Astumian, R. D.; Derényi, I. Fluctuation Driven Transport and Models of Molecular Motors and Pumps. *Eur Biophys J* **1998**, *27* (5), 474–489.
<https://doi.org/10.1007/s002490050158>.
- (24) Qiu, Y.; Feng, Y.; Guo, Q.-H.; Astumian, R. D.; Stoddart, J. F. Pumps through the Ages. *Chem* **2020**, *6* (8), 1952–1977.
<https://doi.org/10.1016/j.chempr.2020.07.009>.
- (25) Cheng, C.; McGonigal, P. R.; Schneebeli, S. T.; Li, H.; Vermeulen, N. A.; Ke, C.; Stoddart, J. F. An Artificial Molecular Pump. *Nature Nanotech* **2015**, *10* (6), 547–553.
<https://doi.org/10.1038/nnano.2015.96>.
- (26) Zhang, L.; Wu, H.; Li, X.; Chen, H.; Astumian, R. D.; Stoddart, J. F. Artificial Molecular Pumps. *Nat Rev Methods Primers* **2024**, *4* (1), 1–21.
<https://doi.org/10.1038/s43586-024-00291-w>.
- (27) Feng, Y.; Ovalle, M.; Seale, J. S. W.; Lee, C. K.; Kim, D. J.; Astumian, R. D.; Stoddart, J. F. Molecular Pumps and Motors. *J. Am. Chem. Soc.* **2021**, *143* (15), 5569–5591.
<https://doi.org/10.1021/jacs.0c13388>.
- (28) Astumian, R. D.; Pezzato, C.; Feng, Y.; Qiu, Y.; McGonigal, P. R.; Cheng, C.; Stoddart, J. F. Non-Equilibrium Kinetics and Trajectory Thermodynamics of Synthetic Molecular Pumps. *Mater. Chem. Front.* **2020**, *4* (5), 1304–1314.
<https://doi.org/10.1039/D0QM00022A>.
- (29) Astumian, R. D. Nonequilibrium Steady States, Ratchets, and Kinetic Asymmetry. *Matter* **2023**, *6* (8), 2533–2536.
<https://doi.org/10.1016/j.matt.2023.07.007>.
- (30) Ardagh, M. A.; Birol, T.; Zhang, Q.; Abdelrahman, O. A.; Dauenhauer, P. J. Catalytic Resonance Theory: SuperVolcanoes, Catalytic Molecular Pumps, and Oscillatory Steady State. *Catalysis Science and Technology* **2019**, *9* (18), 5058–5076. <https://doi.org/10.1039/c9cy01543d>.
- (31) Sutton, J. E.; Vlachos, D. G. A Theoretical and Computational Analysis of Linear Free Energy Relations for the Estimation of Activation Energies. *ACS Catalysis* **2012**, *2* (8), 1624–1634.
<https://doi.org/10.1021/cs3003269>.
- (32) Greeley, J. Theoretical Heterogeneous Catalysis: Scaling Relationships and Computational Catalyst Design. *Annual Review of Chemical and Biomolecular Engineering* **2016**, *7* (1), 605–635. <https://doi.org/10.1146/annurev-chembioeng-080615-034413>.
- (33) Zhao, Z.-J.; Liu, S.; Zha, S.; Cheng, D.; Studt, F.; Henkelman, G.; Gong, J. Theory-Guided Design of Catalytic Materials Using Scaling Relationships and Reactivity Descriptors. *Nature Reviews Materials* **2019**, *4* (12), 792–804.
<https://doi.org/10.1038/s41578-019-0152-x>.
- (34) Gathmann, S. R.; Ardagh, M. A.; Dauenhauer, P. J. Catalytic Resonance Theory: Negative Dynamic Surfaces for Programmable Catalysts. *Chem Catalysis* **2022**.
<https://doi.org/10.1016/j.cheecat.2021.12.006>.
- (35) Christopher Rackauckas; Nie Qing. DifferentialEquations.jl – A Performant and Feature-Rich Ecosystem for Solving Differential Equations in Julia. *Journal of Open Research Software* **2017**, *5* (1).
<https://doi.org/10.5334/jors.151>.
- (36) SciML. RadauIIA5 Solver. https://docs.sciml.ai/DiffEqDocs/stable/solvers/ode_solve/#SciMLBase.RadauIIA5.
- (37) Onn, T. M.; Gathmann, S. R.; Guo, S.; Solanki, S. P. S.; Walton, A.; Page, B. J.; Rojas, G.; Neurock, M.; Grabow, L. C.; Mkhoyan, K. A.; Abdelrahman, O. A.; Frisbie, C. D.; Dauenhauer, P. J. Platinum Graphene Catalytic Condenser for Millisecond Programmable Metal Surfaces. *Journal of the American Chemical Society* **2022**, *144* (48), 22113–22127.
<https://doi.org/10.1021/jacs.2c09481>.
- (38) Oh, K.-R.; Onn, T. M.; Walton, A.; Odlyzko, M. L.; Frisbie, C. D.; Dauenhauer, P. J. Fabrication of Large Area Metal-on-Carbon Catalytic Condensers for Programmable Catalysis. *ACS Applied Materials & Interfaces* **2023**.
<https://doi.org/10.1021/acsami.3c14623>.
- (39) Onn, T. M.; Oh, K.-R.; Adrahtas, D. Z.; Soeherman, J. K.; Hopkins, J. A.; Frisbie, C. D.; Dauenhauer, P. J. Flexible and Extensive Platinum Ion Gel Condensers for Programmable

Catalysis. *ACS Nano* **2023**.

<https://doi.org/10.1021/acsnano.3c09815>.

- (40) Amano, S.; Esposito, M.; Kreidt, E.; Leigh, D. A.; Penocchio, E.; Roberts, B. M. W. Using Catalysis to Drive Chemistry Away from Equilibrium: Relating Kinetic Asymmetry, Power Strokes, and the Curtin-Hammett Principle in Brownian Ratchets. *Journal of the American Chemical Society* **2022**, *144* (44), 20153–20164. <https://doi.org/10.1021/jacs.2c08723>.
- (41) Jencks, W. P. *Catalysis in Chemistry and Enzymology*; McGraw-Hill Book Co: New York, NY, 1969; Vol. 47. <https://doi.org/10.1021/ed047pa860.2>.
- (42) Astumian, R. D.; Chock, P. B.; Tsong, T. Y.; Westerhoff, H. V. Effects of Oscillations and Energy-Driven Fluctuations on the Dynamics of Enzyme Catalysis and Free-Energy Transduction. *Physical Review A* **1989**, *39* (12), 6416–6435. <https://doi.org/10.1103/PhysRevA.39.6416>.
- (43) Robertson, B.; Astumian, R. D. Michaelis-Menten Equation for an Enzyme in an Oscillating Electric Field. *Biophysical Journal* **1990**, *58* (4), 969–974. [https://doi.org/10.1016/S0006-3495\(90\)82441-3](https://doi.org/10.1016/S0006-3495(90)82441-3).
- (44) Honkala, K.; Hellman, A.; Remediakis, I. N.; Logadottir, A.; Carlsson, A.; Dahl, S.; Christensen, C. H.; Nørskov, J. K. Ammonia Synthesis from First-Principles Calculations. *Science* **2005**, *307* (5709), 555–558. <https://doi.org/10.1126/science.1106435>.
- (45) Grabow, L. C.; Mavrikakis, M. Mechanism of Methanol Synthesis on Cu through CO₂ and CO Hydrogenation. *ACS Catalysis* **2011**, *1* (4), 365–384. <https://doi.org/10.1021/cs200055d>.
- (46) J. A. Dumesic, L. M. Aparicio, J. E. Rekoske, and A. A. Treviño, D. F. R. *The Microkinetics of Heterogeneous Catalysis*; American Chemical Society, 1993.